



MIRUS™ Controller

The assistant at your side

Technical Specifications

General specifications

HW options

MC-MC-ISO (Isoflurane)

MC-MC-SEVO (Sevoflurane)

MC-MC-DES (Desflurane)

Dimensions

<i>Dimensions (LxHxD)</i>	325 x 195 x 210 mm (12.8 x 7.6 x 8.2 in.)	<i>Weight</i>	9.0 kg (15.4 lb)
---------------------------	--	---------------	------------------

Environmental conditions (Operation)

<i>Temp. range (ISO, SEVO)</i>	+10 - +40°C	<i>Temp. range (DES)</i>	+10 - +30°C
<i>Atm. pressure range</i>	700 - 1,060 hPa	<i>Equivalent altitude</i>	3,000 - 0 m (9,840 - 0 ft)
<i>Humidity range</i>	10 - 90% relative		

Environmental conditions (Storage)

<i>Temperature range</i>	-20 to +50°C	<i>Atm. pressure range</i>	500 - 1,060 hPa
<i>Equivalent altitude</i>	5,500 - 0 m (18,050 to 0 ft)	<i>Humidity range</i>	10 - 90% relative

Environmental conditions (Transport)

<i>Temperature range</i>	-20 to +70°C	<i>Atm. pressure range</i>	500 - 1,060 hPa
<i>Equivalent altitude</i>	5,500 - 0 m (18,050 to 0 ft)	<i>Humidity range</i>	10 - 90% relative

Device volume

<i>Noise level</i>	≤ 49 dB (A)	<i>Alarms at max. setting</i>	> 66 dB (A) (tone sequence)
<i>"Panic" alarms</i>	> 63 dB (A) (permanent)		

Classifications

<i>CE class according to 93/42/EEC</i>	IIb	<i>Protection class acc. to EN 60601-1</i>	I
<i>IP Code</i>	IP20	<i>Protection type acc. to EN 60601-1</i>	B

GMDN codes

<i>MC-MC-ISO</i>	36890	<i>MC-MC-DES</i>	36979
<i>MC-MC-SEVO</i>	36980	<i>UMDSNS code</i>	10-144

Electrical supply

<i>Nominal voltage</i>	100 - 230 VAC ± 10%	<i>Frequency</i>	50 - 60 Hz ± 5%
<i>Power consumption</i>	< 75 VA	<i>Grounding</i>	Standard ground stud
<i>Internal backup</i>	Backup time: 15 min		

Electrical supply

<i>Internal reservoir</i>	Max. capacity = 270 ml Reserve capacity = 20 ml	<i>Status information</i>	On Screen
<i>Filling system</i>	Proprietary filling system, agent spec. acc. ISO 5360	<i>Filling capacity</i>	Maximum = 190 ml Max. overflow protect = 250ml

Display structure

<i>Screen</i>	Touchscreen, 5.7", confirm button	<i>Menu language</i>	English, German, French, Italian, Spanish, Polish
---------------	--------------------------------------	----------------------	--

Applied standards

EN 1041	EN 10993-1	EN 60529	EN 60601-1
EN 60601-1-2	EN 60601-1-8	EN 62304	EN 62366-1
EN ISO 5360	EN ISO 14971	EN ISO 15223-1	EN ISO 80601-2-13
EN ISO 80601-2-55			

Units

<i>CO₂</i>	mmHg, Vol%, kPa	<i>Pressure (Paw, PEEP)</i>	mbar, cmH ₂ O
<i>VA concentration</i>	Vol%		

Electromagnetic compatibility (according to EN 60601-1-2)

Test parameters and limit values can be obtained from the manufacturer if required

Controls and Ranges

Agent dosage

Isoflurane

Range MAC 0.1 - 2.0 @ MVi 3.0 - 15.0 L/min where
MAC 1 = 1.15 Vol%
@ age = 40 *Increment* 0.1 MAC @ single taps on
button 0.5 MAC @ pressing
button > 1 sec

Sevoflurane

Range MAC 0.1 - 2.0 @ MVi 3.0 - 15.0 L/min where
MAC 1 = 1.9 Vol%
@ age = 40 *Increment* 0.1 MAC @ single taps on
button 0.5 MAC @ pressing
button > 1 sec

Desflurane

Range MAC 0.1 - 2.0 @ MVi 3.0 - 15.0 L/min where
MAC 1 = 6.7 Vol%
@ age = 40 *Increment* 0.1 MAC @ single taps on
button 0.5 MAC @ pressing
button > 1 sec

Alarm settings

et CO₂ min / max

Range 15 - 150 mmHg / 2.0 - 19.7 Vol% /
2.0 - 20.0 kPa *Increment* 1 mmHg / 0.5 Vol% / 0.1 kPa
@ single taps on button
5 mmHg / 1.0 Vol% / 0.5 kPa
@ pressing button > 1 sec

et ISO min / max

Range 0.0 - 6.0 Vol% *Increment* 0.1 Vol%
@ single taps on button
0.5 Vol%
@ pressing button > 1 sec

et SEVO min / max

Range 0.0 - 8.0 Vol% *Increment* 0.1 Vol%
@ single taps on button
0.5 Vol%
@ pressing button > 1 sec

et DES min / max

Range 0.0 - 18.0 Vol% *Increment* 0.1 Vol%
@ single taps on button
0.5 Vol%
@ pressing button > 1 sec

Apnoe time

Range 15 - 60 sec *Increment* 5 seconds

Alarm volume

Range 50 - 100% *Increment* 10% @ single taps on button

Patient data settings

Age

Range 10 - 115 years *Increment* 1 year
@ single taps on button
5 years
@ pressing button > 1 sec

Size

Range 100 - 250 cm *Increment* 5 cm
@ single taps on button
10 cm
@ pressing button > 1 sec

Weight

Range 15 - 125 kg *Increment* 1 kg
@ single taps on button
5 kg
@ pressing button > 1 sec

Monitoring system

Safety monitoring

<i>Patient</i>	Breathing activity	<i>Alarms</i>	Apnoea
<i>Tidal volume</i>	Low Vt		

Agent dosage monitoring

<i>Dosage start</i>	Start of inspiration	<i>Alarms</i>	Dosage failed! No delivery
<i>Dosage end</i>	End of inspiration or end of delivered anaesthetic agent volume	<i>Control</i>	Monitoring of applied volume of anaesthetic agent. Comparison of calculated with measured volume

Gas monitoring

ISO, SEVO, DES			
<i>Numerical data</i>	etVA	<i>Alarms</i>	Low etVA, High etVA
CO ₂			
<i>Numerical data</i>	etCO ₂	<i>Alarms</i>	Low etCO ₂ , High etCO ₂

Performance

Agent dosage accuracy

ISO, SEVO, DES			
<i>Maximum</i>	+ 15% of set MAC @ all settings	<i>Minimum</i>	- 15% of set MAC @ Vt = 500 ml, Rate = 15/min, I:E = 1:2, MAC = 1.0
<i>Wash-In speed</i>	Turtle	<i>Maximum Rate</i>	40/min

Respiratory monitoring accuracy

<i>Volumes</i>	± 20% @ Vt 200 ml - 2000 ml (BTPS corrected)	<i>Pressures</i>	± 4.0% or 2 cmH ₂ O whichever is greater @ -10 - 100 cmH ₂ O (@rate < 40/min)
<i>Rate</i>	± 1 breath per minute (@rate < 40/min)	<i>I:E</i>	± 25% (@rate > 40/min)

Gas monitoring accuracy

CO ₂	0 - 1 Vol% ± 0.1 Vol% 1 - 5 Vol% ± 0.2 Vol% 5 - 7 Vol% ± 0.3 Vol% 7 - 10 Vol% ± 0.5 Vol% > 10 Vol% unspecified	<i>Isoflurane</i>	0 - 1 Vol% ± 0.15 Vol% 1 - 5 Vol% ± 0.2 Vol% > 5 Vol% unspecified
<i>Sevoflurane</i>	0 - 1 Vol% ± 0.15 Vol% 1 - 5 Vol% ± 0.2 Vol% 5 - 8 Vol% ± 0.4 Vol% > 8 Vol% unspecified	<i>Desflurane</i>	0 - 1 Vol% ± 0.15 Vol% 1 - 5 Vol% ± 0.2 Vol% 5 - 10 Vol% ± 0.4 Vol% 10 - 15 Vol% ± 0.6 Vol% 15 - 18 Vol% ± 1.0 Vol% > 18 Vol% unspecified



Technologie Institut Medizin GmbH (TIM)
August-Thyssen-Str. 30
56070 Koblenz
Germany
Tel.: +49 261 899 689 00
Fax.: +49 261 899 689 09
www.tim-gmbh.de
info@tim-gmbh.de



Specifications are subjects to change without prior notice.

MIRUS™ Controller Technical specifications
©2019 TIM GmbH.

All rights reserved. Rev. A-00 of 11/19.

MIRUS and TIM are trademarks of TIM GmbH.



Visit us
www.the-mirus.com